



**BUREAU
VERITAS**

*Marine & Offshore
Division*

Certificate number: 20870/B2 EC

File number: ACI 1350/047/001

Annex A1 Item number: A.1/3.20

*This certificate is not valid when presented without the full
attached schedule composed of 7 sections*

www.veristar.com

Notified Body 0062 - MARINE EQUIPMENT DIRECTIVE 96/98/EC

EC TYPE EXAMINATION CERTIFICATE

*as per Module B of European Union Council Directive 96/98/EC on marine equipment
as amended by Commission Directive (EU) 2015/559*

This certificate is issued to

SERGE FERRARI

LA TOUR DU PIN CEDEX - FRANCE

for the type of product

UPHOLSTERED FURNITURE

BATYLINE CANATEX 7117 FR/CANATEX 7122 FR/CANATEX 7150 FR/ISO FR 7407 FR/ISO 7406 FR/
FR 7300 FR/LOUNGE 7700 FR/LOUNGE W7701 FR/7350 FR/7388 FR/7190 FR/7438 FR/NATURAL FR 7393/
STAMSKIN F4340 FR/TOP F4340/ZEN F4350/ONE F4360

Requirements:

SOLAS 74 convention as amended, Regulations II-2/3, II-2/5, II-2/9, X/3

IMO Res. MSC.36(63) -(1994 HSC Code)- as amended, 7

IMO Res. MSC.97(73) -(2000 HSC Code)- as amended, 7

IMO Res MSC.307(88) -(2010 FTP Code)-

IMO Res. MSC.61(67) -(FTP Code)- Annex 1 Part 8 with IMO Res MSC.307(88) -(2010 FTP Code)- article 8

IMO MSC/Circ.1120

*This certificate is issued on behalf of the French Maritime Authorities to attest that BUREAU VERITAS did undertake the relevant
type-examination procedures for the product identified above which was found to comply with the relevant requirements of the Council Directive
96/98/EC of 20 December 1996 as amended.*


This certificate will expire on: 13 Dec 2018

For BUREAU VERITAS Notified Body 0062,

At BV LYON, on 25 May 2016,

Jean-Marc Cabuzel



This certificate does not allow to issue the Declaration of Conformity and to affix the mark of conformity (wheelmark ) to the products corresponding to this type. To this end, the production-control phase module (D, E or F) of Annex B of the Directive is to be complied with and controlled by a written inspection agreement with a notified body.

This certificate remains valid until the date stated above, unless cancelled or revoked, provided the conditions indicated in the subsequent page(s) are complied with and the product remains satisfactory in service. This certificate will not be valid if the applicant makes any changes or modifications to the approved product, which have not been notified to, and agreed in writing with BUREAU VERITAS. Should the specified regulations or standards be amended during the validity of this certificate, the product(s) is/are to be re-approved prior to it/they being placed on board vessels to which the amended regulations or standards apply. BUREAU VERITAS is designated by the French Maritime Authority as a "notified body" under the terms of the French Regulations Division 140 Chapter 140-2. This certificate is issued within the scope of the General Conditions of BUREAU VERITAS Marine & Offshore Division available on the internet site www.veristar.com. Any Person not a party to the contract pursuant to which this document is delivered may not assert a claim against BUREAU VERITAS for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by personnel of the Society or of its Agents in establishment or issuance of this document, and in connection with any activities for which it may provide.

THE SCHEDULE OF APPROVAL

1. PRODUCT DESCRIPTION :

BATYLINE CANATEX 7117 FR

Textile composed of synthetic wire (25.5%) coated with fireproofed PVC (74.5%).

Weight : 530 g/m²

Thickness : 1.05 mm

BATYLINE CANATEX 7122 FR

Textile composed of synthetic wire (22%), fireproofed composite vinyl and hemp (78%).

Weight : 580 g/m²

Thickness : 1.08 mm

BATYLINE CANATEX 7150 FR

Textile composed of synthetic wire (24%), fireproofed composite vinyl (70%) and hemp (6%).

Weight : 880 g/m²

Thickness : 1.87 mm

BATYLINE NATURAL FR 7393

Textile composed of synthetic wire (25%) coated with fireproofed PVC (75%).

Weight : 530 g/m²

Thickness : 0.84 mm

BATYLINE ISO FR 7407 FR

Textile composed of synthetic wire (28%) coated with fireproofed PVC (72%).

Weight : 500 g/m²

Thickness : 0.80 mm

BATYLINE ISO 7406 FR

Textile composed of synthetic wire (25%) coated with fireproofed PVC (75%).

Weight : 660 g/m²

Thickness : 0.83 mm

BATYLINE DUO FR 7300 FR

Textile composed of synthetic wire (25%) coated with fireproofed PVC (75%).

Weight : 560 g/m²

Thickness : 0.83 mm

BATYLINE LOUNGE 7700 FR

Textile composed of synthetic wire (23.5%) coated with fireproofed resin vinyl (76.5%).

Weight : 450 g/m²

Thickness : 0.50 mm

BATYLINE LOUNGE W7701 FR

Textile composed of synthetic wire (20.5%) coated with fireproofed PVC (73.5%) - Polyurethan (6%).

Weight : 465 g/m²

Thickness : 0.50 mm

BATYLINE 7350 FR

Textile composed of synthetic wire (28%) coated with fireproofed PVC (72%).

Weight : 725 g/m²

Thickness : 0.80 mm

* tested on polyurethane foam density 24 kg/m³

BATYLINE 7388 FR

Textile composed of synthetic wire (28%) coated with fireproofed PVC (72%).

Weight : 850 g/m²

Thickness : 1.20 mm

* tested on polyurethane foam HR density 35 kg/m³

BATYLINE 7190 FR

Textile composed of synthetic wire (25%) coated with fireproofed PVC (75%).

Weight : 660 g/m²

Thickness : 0.83 mm

* tested on polyurethane foam HR density 35 kg/m³

BATYLINE 7438 FR

Textile composed of synthetic wire (22%) coated with fireproofed PVC (78%).

Weight : 560 g/m²

Thickness : 0.80 mm

* tested on polyurethane foam HR density 35 kg/m³

STAMSKIN TOP F 4340

Textile composed of polyamide (14%) coated on one face with fireproofed PVC (86%).

Weight : 780 g/m²

Thickness : 1.1 mm

STAMSKIN F4340FR

Textile composed of jersey cotton (19%) coated on one face with fireproofed PVC (81%).

19% jersey cotton - 81% fireproofed PVC

Weight : 950 g/m²

Thickness : 1.3 mm

STAMSKIN ZEN F4350

Textile composed of polyamide (14%) coated on one face with fireproofed PVC (86%).

Weight : 780 g/m²

Thickness : 0.9 mm

* tested on polyurethane foam density 24 kg/m³

STAMSKIN ONE F4360

Textile composed of polyester jersey (16%) coated on one face with silicone (84%).

Weight : 650 g/m²

Thickness : 0.8 mm

* tested on non fire-retarded polyurethane foam density 24 kg/m³

All fabrics have been tested on standard non fire retardant polyurethane foams density 22 kg/m³, except if stated differently* in the above description.

2. DOCUMENTS AND DRAWINGS :

BATYLINE CANATEX 7117 FR : technical data sheet dated 07/02/2008

BATYLINE CANATEX 7122 FR : technical data sheet dated 07/02/2008

BATYLINE CANATEX 7150 FR : technical data sheet dated 07/02/2008

BATYLINE NATURAL FR 7393 : technical data sheet dated 07/02/2008

BATYLINE ISO FR 7407 FR : technical data sheet dated 18/05/2016

BATYLINE ISO 7406 FR : technical data sheet dated 18/05/2016

BATYLINE DUO FR 7300 FR : technical data sheet dated 18/05/2016

BATYLINE LOUNGE 7700 FR : technical data sheet dated 18/05/2016

BATYLINE LOUNGE W7701 FR : technical data sheet dated 25/11/2014

BATYLINE 7350 FR : technical data sheet dated 25/11/2014

BATYLINE 7388 FR : technical data sheet dated 25/11/2014

BATYLINE 7190 FR : technical data sheet dated 25/11/2014

BATYLINE 7438 FR : technical data sheet dated 25/11/2014

STAMSKIN TOP F 4340 : technical data sheet dated 18/05/2016

STAMSKIN F4340FR : technical data sheet dated 18/05/2016

STAMSKIN ZEN F4350 : technical data sheet dated 25/11/2014

STAMSKIN ONE F4360 : technical data sheet dated 18/05/2016

3. TEST REPORTS :

BATYLINE NATURAL FR 7393	N° G060561-CEMATE/6,	dated 23.01.2007, as per IMO FTPC Part 8 from LNE, France.
STAMSKIN TOP F 4340	N° E090449-CEMATE/1,	dated 07.10.2004, as per IMO FTPC Part 8 from LNE, France.
BATYLINE CANATEX 7117 FR	N° J031238-DE/12,	dated 20.07.2011, as per IMO FTPC Part 8 from LNE, France.
BATYLINE CANATEX 7122 FR	N° J031238-DE/13,	dated 20.07.2011, as per IMO FTPC Part 8 from LNE, France.
STAMSKIN F4340FR	N° L080145-DE/1,	dated 17.08.2010, as per IMO FTPC Part 8 from LNE, France.
BATYLINE CANATEX 7150 FR	N° H020805-DE/4,	dated 20.07.2011, as per IMO FTPC Part 8 from LNE, France.
BATYLINE ISO FR 7407 FR	N° M090746-DE/2,	dated 05.10.2011, as per IMO FTPC Part 8 from LNE, France.
BATYLINE DUO FR 7300 FR	N° M090746-DE/1,	dated 05.10.2011, as per IMO FTPC Part 8 from LNE, France.
BATYLINE LOUNGE 7700 FR	N° M090746-DE/3,	dated 05.10.2011, as per IMO FTPC Part 8 from LNE, France.
BATYLINE ISO 7406 FR	N° M110129-DE/1,	dated 20.12.2011, as per IMO FTPC Part 8 from LNE, France.
STAMSKIN ZEN F4350	N° 367140610	dated 27.08.2014, as per IMO FTPC 2010 Part 8 from FCBA, France.
BATYLINE LOUNGE W7701 FR :	N° N070604-DE/1	dated 14.09.2012, as per IMO FTPC Part 8 from LNE, France.
BATYLINE 7350 FR :	N° 367140622	dated 03.09.2014, as per IMO FTPC 2010 Part 8 from FCBA, France.
BATYLINE 7388 FR :	N° 367140247	dated 24.04.2014, as per IMO FTPC 2010 Part 8 from FCBA, France.
BATYLINE 7190 FR :	N° 367140361	dated 23.05.2014, as per IMO FTPC 2010 Part 8 from FCBA, France.
BATYLINE 7438 FR :	N° 367140360	dated 23.05.2014, as per IMO FTPC 2010 Part 8 from FCBA, France.
STAMSKIN ONE F4360 :	N° 367150403/1, 367150404/1, 367150405/1	dated 25.09.2015, as per IMO FTPC 2010 Part 8 from FCBA, France.

4. APPLICATION / LIMITATION :

The fitting aboard to be the same as used for the test.

5. PRODUCTION SURVEY REQUIREMENTS :

This certificate does not allow the applicant to issue the Declaration of Conformity and to affix the mark of conformity (wheelmark) to the products corresponding to this type. To this end, the production-control phase module D "Production Quality Assurance" or E "Product Quality Assurance" or F "Product Verification" of Annex B of the Directive is to be complied with and controlled by a written inspection agreement with a Notified Body.

6. MARKING OF PRODUCT :

Markings as per MED 96/98/EC when authorized by a Notified Body :

☒ YYYY/XX where YYYY is the number of the Notified Body undertaking surveillance module (when BV, 0062) and where XX are the last two digits of year mark affixed.

7. OTHERS :

7.1- It is **SERGE FERRARI**'s responsibility to inform shipbuilders or their sub-contractors of the proper methods of fitting, use and general maintenance of the approved equipment and the conditions of this approval.

7.2- This certificate supersedes EC Type Examination certificate N°20870/B1 issued on 21/01/2015 by the Society.

*** END OF CERTIFICATE ***